


TE Internal #: 1061023-1
MCX Connector, Jack, 50 ohm, Push-On, 6 GHz, 1 Position, Printed
Circuit Board, Board Mount, -65 – 165 °C [-85 – 329 °F], Brass,
Plated, Nickel

[View on TE.com >](#)



Connectors > RF Connectors > Coax Connectors



RF Interface: **MCX**
RF Connector Style: **Jack**
RF Connector Mated Outer Diameter (Approximate): **4.5 mm [.177 in]**
Impedance: **50 Ω**
RF Connector Coupling Mechanism: **Push-On**

Features

Product Type Features

Connector Shape	Circular
RF Interface	MCX
RF Connector Style	Jack
Connector & Contact Terminates To	Printed Circuit Board

Configuration Features

PCB Mount Orientation	Right Angle
Number of Positions	1
Number of Coaxial Contacts	1

Electrical Characteristics

Impedance	50 Ω
-----------	------

Body Features

Body Material	Brass
Body Material Finish	Plated
Body Plating Material	Nickel

Contact Features

RF Connector Center Contact Underplating Material	Copper, Nickel
	1397 μin
RF Connector Center Contact Plating Material	Gold (Au)



RF Connector Center Contact Material	Beryllium Copper
--------------------------------------	------------------

Termination Features

Termination Method to PCB	Through Hole - Solder
Termination Post & Tail Length	3.9 mm[.155 in]

Mechanical Attachment

PCB Mount Retention	Without
RF Connector Coupling Mechanism	Push-On
Connector Mounting Type	Board Mount
RF Contact Captivation Method	Mechanical

Dimensions

Product Length	9.93 mm[.391 in]
Profile Height from PCB	6 mm[.236 in]
RF Connector Mated Outer Diameter (Approximate)	4.5 mm[.177 in]

Usage Conditions

Operating Temperature Range	-65 – 165 °C[-85 – 329 °F]
-----------------------------	----------------------------

Operation/Application

Operating Frequency	6 GHz
---------------------	-------

Packaging Features

Packaging Method	Package
------------------	---------

Other

Dielectric Material	PTFE
---------------------	------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) SVHC > Threshold: Pb (3.7% in 74018819) Article Safe Usage Statements:




Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Halogen Content	Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free
Solder Process Capability	Pin-in-Paste capable to 260°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Customers Also Bought




TE Part #5499206-1
A/L UNIV HDR 10P VERT LAT



TE Part #1954041-2
POWER ARCH PIN CONTACT .153 INCH DIA.



TE Part #1879743-1
RP 1J 4R75 0.1% 15PPM CUT LENGTH




TE Part #1-2176085-4
EP 9W (S) 1K5 5%




TE Part #1-1721539-7
OJE-SS-112HM2.000T0



TE Part #2-5331272-5
SOCKET, MIN-SPR SN SER-2



TE Part #3-1879743-2
RP 1J 10R 0.1% 15PPM CUT LENGTH



TE Part #1375795-3
ASSY, 64/40 POS PC104 LF

TE Part #1878032-7
487-322-00

TE Part #2373238-1
487-322-01



Documents

Product Drawings

5864 5001 10,OSX RA PCB JACK

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1061023-1_A_c-1061023-1-a.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1061023-1_A_c-1061023-1-a.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1061023-1_A_c-1061023-1-a.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

MCX Connectors

English