

1379918-1 ✓ ACTIVE

MQS

TE Internal #: 1379918-1

Black, Cover, PBT GF20, -40 – 85 °C [-40 – 185 °F]

[View on TE.com >](#)



Connectors > Automotive Connectors > Automotive Connector Accessories > Automotive Connector Caps & Covers



Primary Product Color: **Black**

Protection & Strain Relief Accessory Type: **Cover**

Primary Product Material: **PBT GF20**

Strain Relief: **Without**

Operating Temperature (Max): **85 °C [185 °F]**

Features

Product Type Features

Sealable	No
Protection & Strain Relief Accessory Type	Cover

Body Features

Primary Product Color	Black
Primary Product Material	PBT GF20

Mechanical Attachment

Strain Relief	Without
---------------	---------

Dimensions

Compatible Cable Bundle Diameter Range	12.5 mm[.492 in]
--	------------------

Usage Conditions

Operating Temperature (Max)	85 °C[185 °F]
Operating Temperature Range	-40 – 85 °C[-40 – 185 °F]

Industry Standards

UL Flammability Rating	UL 94HB
------------------------	---------



Packaging Features

Packaging Method	Box
------------------	-----

Other

Serviceable	Yes
-------------	-----

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



Customers Also Bought



TE Part #2282152-3
4POS, NANOMQS, REC HSG, CODC



TE Part #1-2035077-3
PLUG HSG, 4 POSN HYBRID 0.64/2



TE Part #1-2359440-1
18POS, AMP MCP 1.5K, REC HSG,
UNSLD



TE Part #1379218-1
COVER FOR 5W MPQ+MQS HSG



TE Part #1-2359439-1
PLASTIC CARRIER, 25POS, CODE A



TE Part #2359441-1
7POS, AMP MCP 2.8, REC HSG, UNSLD



TE Part #CAT-T319-CH8172
TH/.025 CONNECTOR SYSTEM,
HOUSING



TE Part #2209477-1
KIT ASS'Y FOR 52POS. MQS FEMALE
CONNECTOR

Documents

Product Drawings

COVER FOR 20W TAB HSG

French

CAD Files

Customer View Model

[ENG_CVM_1379918-1_B.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_1379918-1_B.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_1379918-1_B.2d_dxf.zip](#)

English

3D PDF

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Product Specification

English

Instruction Sheets

Instruction Sheet (non U.S.)

English

1379918-1

Black, Cover, PBT GF20, -40 – 85 °C [-40 – 185 °F]

