




Connectors > D-Shaped Connectors > D-Sub Plug Assembly: Standard, Vertical, 1.27mm



Number of Positions: 96

Connector & Housing Type: Plug

Connector System: Cable-to-Board

Connector Mounting Type: Board Mount

Centerline (Pitch): 1.27 mm [.05 in]

[All D-Sub Plug Assembly: Standard, Vertical, 1.27mm \(24\)](#)

Features

Product Type Features

Shell Material Configuration	All Plastic
Connector & Housing Type	Plug
Connector System	Cable-to-Board
Connector & Contact Terminates To	Printed Circuit Board

Configuration Features

PCB Mount Orientation	Vertical
Number of Rows	4
Number of Positions	96

Body Features

Primary Product Color	Black
Connector Profile	Standard

Contact Features

--	--



Contact Shape & Form	Rectangular
Contact Mating Area Plating Material	Gold Flash
Contact Base Material	Phosphor Bronze
PCB Contact Termination Area Plating Material	Tin over Nickel
Contact Options	Installed

Termination Features

Rectangular Termination Post & Tail Width	.45 mm[.017 in]
Rectangular Termination Post & Tail Thickness	.4 mm[.015 in]
Termination Method to PCB	Through Hole - Solder
Termination Post & Tail Length	3.1 mm[.122 in]

Mechanical Attachment

PCB Mount Retention	With
Mating Retention	Without
PCB Mount Retention Type	Retention Solder Tails
Mating Alignment	Without
PCB Mount Alignment	Without
Connector Mounting Type	Board Mount

Housing Features

Housing Material	Thermoplastic
Centerline (Pitch)	1.27 mm[.05 in]

Dimensions

Row-to-Row Spacing	2.54 mm[.1 in]
--------------------	----------------

Usage Conditions

Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
-----------------------------	----------------------------

Operation/Application

Shielded	No
Circuit Application	Signal

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

Packaging Features

Packaging Quantity	48
Packaging Method	Tray



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Also in the Series | AMPLIMITE 0.50 Series

Connector Backshells(21)

Connector Caps & Covers(20)

IDC D-Sub Connectors(69)

Insertion & Extraction Tools(1)




Panel Mount D-Sub Connectors(28)



PCB D-Sub Connectors(172)

Customers Also Bought



TE Part #1625867-2
RP 1J 0.166W 10K 0.1% 25PPM 1K RL




TE Part #1423675-7
W57-XB7A4A10-10=CKTBKR,THERM,P



TE Part #L9000333-01
2.4 Jack to 2.92 Plug



TE Part #1-1676915-7
YR1 0.1% 78R7



TE Part #5205980-5
SCREW RETAINER KIT,BULK PACK




TE Part #YDTS26F13-35SNV001
PLUG ASSY




TE Part #53874-2
TERMINAL,PG SPD FLG 16-14 8



TE Part #5555140-2
MJ,LPF,R/A,6P/4C,SHLD,PNL GRD



TE Part #ADP-SMAM-SMAF-T-G
SMA Plug to SMA Jack (2) Tee



TE Part #828102-1
HD-20SCHRAUB-SICHRG

Documents

Product Drawings
AMPLIMITE.050 CAP ASS'Y (V) 96P PB-FREE
English

CAD Files
Customer View Model
ENG_CVM_CVM_5174683-8_O.3d_igs.zip
English
Customer View Model



[ENG_CVM_CVM_5174683-8_O.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_CVM_5174683-8_O.2d_dxf.zip](#)

English

3D PDF

3D

3D PDF

English

Customer View Model

[ENG_CVM_5174683-8_O.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_5174683-8_O.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_5174683-8_O.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Agency Approvals

UL

English