

794785-1 ✓ ACTIVE

MATE-N-LOK | Universal MATE-N-LOK

TE Internal #: 794785-1

Interface Seal, -55 – 105 °C [-67 – 221 °F], Black, Silicone Foam, 4  
Position, Universal MATE-N-LOK

[View on TE.com >](#)



Connectors > Connector Accessories > Connector Seals & Cavity Plugs



Connector Seal & Plug Type: **Interface Seal**

Operating Temperature Range: -55 – 105 °C [-67 – 221 °F]

Primary Product Color: **Black**

Primary Product Material: **Silicone Foam**

Operating Temperature (Max): 105 °C [221 °F]

## Features

### Product Type Features

Connector Seal & Plug Type	Interface Seal
----------------------------	----------------

### Configuration Features

Number of Positions	4
---------------------	---

### Body Features

Primary Product Color	Black
Primary Product Material	Silicone Foam

### Housing Features

Centerline (Pitch)	6.35 mm [.250 in]
--------------------	-------------------

### Usage Conditions

Operating Temperature Range	-55 – 105 °C [-67 – 221 °F]
Operating Temperature (Max)	105 °C [221 °F]

### Packaging Features

Packaging Method	Reel
Packaging Quantity	1000

## Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Out of Scope
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

### Product Compliance Disclaimer







This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Compatible Parts





Also in the Series | **Universal MATE-N-LOK**



Customers Also Bought






TE Part #1969443-2  
EP 2.5 TPA Retainer, 2 Pos



TE Part #1969442-2  
EP 2.5 TPA Housing, 2 Pos



TE Part #1376347-1  
5MM POWER KEY CONN REC CONT  
L



TE Part #177901-1  
POWER DBL LOCK PLUG HSG 6P  
L



TE Part #350699-1  
UMNL SPLIT PIN PTPBR



TE Part #794231-1  
MINI UMNL2 SCKT 20-16AWG LP SN

## Documents

### Product Drawings

#### 04P UMNL INTERFACE SEAL

English

### CAD Files

#### 3D PDF

3D

#### Customer View Model

[ENG\\_CVM\\_CVM\\_794785-1\\_D\\_c-794785-1-d.2d\\_dxf.zip](#)

English

#### Customer View Model

[ENG\\_CVM\\_CVM\\_794785-1\\_D\\_c-794785-1-d.3d\\_igs.zip](#)

English

#### Customer View Model

[ENG\\_CVM\\_CVM\\_794785-1\\_D\\_c-794785-1-d.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

### Product Specifications

#### Application Specification

English

#### MATE-N-LOK Sealed Universal Connectors

English

#### Application Specification

English