

794994-1 ✓ ACTIVE

MATE-N-LOK | Universal MATE-N-LOK

TE Internal #: 794994-1

Interface Seal, -55 – 105 °C [-67 – 221 °F], Black, Silicone Foam, 9  
Position, Universal MATE-N-LOK

[View on TE.com >](#)



Connectors > Connector Accessories > Connector Seals & Cavity Plugs



Connector Seal & Plug Type: **Interface Seal**

Operating Temperature Range: -55 – 105 °C [-67 – 221 °F]

Primary Product Color: **Black**

Primary Product Material: **Silicone Foam**

Operating Temperature (Max): 105 °C [221 °F]

## Features

### Product Type Features

Connector Seal & Plug Type	Interface Seal
----------------------------	----------------

### Configuration Features

Number of Positions	9
---------------------	---

### Body Features

Primary Product Color	Black
Primary Product Material	Silicone Foam

### Housing Features

Centerline (Pitch)	6.35 mm [.250 in]
--------------------	-------------------

### Usage Conditions

Operating Temperature Range	-55 – 105 °C [-67 – 221 °F]
Operating Temperature (Max)	105 °C [221 °F]

### Packaging Features

Packaging Method	Reel
Packaging Quantity	1000

## Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Out of Scope
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Compatible Parts



TE Part # 2029383-1  
06P UMNL-II FRONT2RR FOAM SPCR



TE Part # 350835-4  
09P UMNL HDR ASSY PC 94VO LF






TE Part # 641971-1  
09P UMNL PIN HDR ASSY V2 NATL



TE Part # 350432-4  
09P UMNL PIN HDR ASSY NATL LF



Also in the Series | **Universal MATE-N-LOK**








Rectangular Power Connectors(651)



Standard Circular Connectors(1)

## Customers Also Bought

TE Part #129323P002  
VERSAFIT-3/16-0-0.5IN-STTE Part #794276-1  
06P UMNL WIRE SEALTE Part #1-1355200-1  
MCP2,8BU-GEH ASSY2PTE Part #2-1437719-4  
T01-0550-P07-MALE PULG  
CONNECTOR SOLDERTE Part #350851-1  
UMNL SOK 24-18 PTPBRTE Part #794991-1  
02P UMNL BLACK INTERFACE SEALTE Part #175288-3  
DYNAMIC D-3 TAB CONT. M AU 0.76  
L/PTE Part #794993-1  
06P UMNL BLACK INTERFACE SEALTE Part #794715-1  
09P UMNL CAP HSG NATL,PAN MNTTE Part #1-177648-5  
D3100S DYNAMIC W-T-W TAB HSG

## Documents

### Product Drawings

[09P UMNL BLACK INTERFACE SEAL](#)

English

### CAD Files

[3D PDF](#)

3D

[Customer View Model](#)

[ENG\\_CVM\\_CVM\\_794994-1\\_C.2d\\_dxf.zip](#)



English

Customer View Model

[ENG\\_CVM\\_CVM\\_794994-1\\_C.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_794994-1\\_C.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

---

### Datasheets & Catalog Pages

[SOFT\\_SHELL\\_PIN\\_AND\\_SOCKET\\_CONNECTORS\\_CATALOG](#)

English

---

### Product Specifications

[Application Specification](#)

English