




Connectors > Connector Accessories > Connector Caps & Covers > Female Socket Connectors: Strain Relief



Connector Cover Type: **Strain Relief Cover**

Primary Product Color: **Blue**

Primary Product Material: **Glass-Filled Thermoplastic**

Number of Positions: **50**

[All Female Socket Connectors: Strain Relief \(13\)](#)

## Features

### Product Type Features

Connector Cover Type	Strain Relief Cover
----------------------	---------------------

### Configuration Features

Number of Positions	50
---------------------	----

### Body Features

Primary Product Color	Blue
Primary Product Material	Glass-Filled Thermoplastic

### Dimensions

Product Length	68.17 mm
----------------	----------

### Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

### Packaging Features

Packaging Method	Package
Packaging Quantity	50

## Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)









EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant

China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


## Compatible Parts

 <p>TE Part # 1-1761606-5 IDC LOW PRO HDR 50P VERT LA</p>	 <p>TE Part # 1-1761686-5 IDC LOW PRO HDR 50P VERT LAT</p>	 <p>TE Part # CAT-AM74-UN384H AMP-LATCH UNIVERSAL HEADERS</p>	 <p>TE Part # 1-5103310-0 A/L LOW PRO HDR 50P RA BLACK</p>
 <p>TE Part # 1-5103311-0 A/L LOW PRO HDR 50P RA BLACK</p>	 <p>TE Part # 3-1761605-5 IDC LOW PRO HDR 50P RA BLUE</p>	 <p>TE Part # 1-1761681-5 IDC LOW PRO HDR 50P VERT HT BLACK</p>	 <p>TE Part # 1-111446-7 50 UNIV I/O, NO EARS, LEAD FREE BLACK</p>




### Customers Also Bought





TE Part #6-102619-1  
26 MODII HDR DRST SHRD .100CL



TE Part #6-1437020-6  
609-1631HD=FSKT IDC S 16 SR

## Documents

### Product Drawings

[609-5031HD=FSKT IDC S 50 SR](#)

English

### CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG\\_CVM\\_CVM\\_8-1437021-1\\_C.2d\\_dxf.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_8-1437021-1\\_C.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_8-1437021-1\\_C.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

### Datasheets & Catalog Pages

[Ribbon Cable Interconnect Solutions](#)

English