



HIVONEX

TE Internal #: YHV800-2P-90-50M-B

2 Position Housing, Receptacle, Cable-to-Cable / Wire-to-Wire, 23 mm [.905 in] Centerline, Sealable, Orange, Wire & Cable, Power

[View on TE.com >](#)

Connectors > Automotive Connectors > Automotive Housings



Number of Positions: 2

Connector & Housing Type: **Receptacle**

Mating Pin Diameter: 8 mm [.315 in]

Connector System: **Cable-to-Cable, Wire-to-Wire**

Centerline (Pitch): 23 mm [.905 in]

Features

Product Type Features

Mixed & Hybrid Connector	No
Connector Shape	Rectangular
Connector & Housing Type	Receptacle
Connector System	Cable-to-Cable, Wire-to-Wire
Sealable	Yes
Primary Locking Feature	Integrated in Housing
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	2
Number of Rows	1

Electrical Characteristics

Operating Voltage	650 VDC
-------------------	---------

Body Features

Cable Exit Angle	90°
Primary Product Color	Orange
Connector & Keying Code	B

Contact Features

Contact Size	8mm
--------------	-----



Contact Type	Socket
--------------	--------

Mating Pin Diameter	8 mm[.315 in]
---------------------	---------------

Mechanical Attachment

Strain Relief	Without
---------------	---------

Terminal Position Assurance	No
-----------------------------	----

Mating Alignment Type	Keyed
-----------------------	-------

Mating Alignment	With
------------------	------

Connector Mounting Type	Cable Mount (Free-Hanging)
-------------------------	----------------------------

Housing Features

Housing Material	PA 66 GF30
------------------	------------

Centerline (Pitch)	23 mm[.905 in]
--------------------	----------------

Dimensions

Product Width	97.5 mm[3.84 in]
---------------	------------------

Product Length	85 mm[3.35 in]
----------------	----------------

Connector Height	62.3 mm[2.45 in]
------------------	------------------

Usage Conditions

Operating Temperature (Max)	140 °C[284 °F]
-----------------------------	----------------

Operating Temperature Range	-40 – 140 °C[-40 – 284 °F]
-----------------------------	----------------------------

Operation/Application

Circuit Application	Power
---------------------	-------

Industry Standards

IP Rating	IP6K7, IP6K9K
-----------	---------------

Compatible With Agency/Standards Products	LV214
---	-------

Packaging Features

Packaging Quantity	1
--------------------	---

Packaging Method	Package
------------------	---------

Other

Serviceable	No
-------------	----

Connector Position Assurance Capable	Yes
--------------------------------------	-----

Product Compliance

For compliance documentation, visit the product page on [TE.com](https://www.te.com)>




EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2021 (211) Does not contain REACH SVHC
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 528040-2
CABLE CLAMP, ASSY



TE Part # 2141227-2
2POS, PIN DIA 8.0, PIN HSG, ASSY, SLD

Customers Also Bought



TE Part #347874-1
CABLE SEAL LC SILICON 0.5 T




TE Part #2141826-1
MQS0,63 Sn rec LL EDS 0,08-0,22



TE Part #2177018-1
SINGLE WIRE SEAL, AMP MCP6.3/4.8K, YW



TE Part #YHVP1100-1P-90-B-0
HVP1100-1phi XE, 90, Key B



TE Part #YHV800-2P-90-50M-A
HVP800-2PHI XE,90,50SQMM,KEY A



TE Part #6-1393211-9
T92P7D22-12



TE Part #YHVP1100-1P-90-A-0
HVP1100-1phi XE,90,Key A



TE Part #1SNG614005R0000
EM-EMC4-M25-MET-A

Documents

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_YHV800-2P-90-50M-B_A.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_YHV800-2P-90-50M-B_A.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_YHV800-2P-90-50M-B_A.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[HIVONEX CONNECTORS & CHARGING SOLUTIONS](#)

English

[HEMS Sample Kit YHV800-2p-90-50m-B](#)

English

Product Specifications

[Application Specification](#)

English